Journal of Statistical Planning and Inference 20 (1988) 455–471
North-Holland

MASTER INDEX TO VOLUMES 11–20

Abdel-Wahid, A.R. and A. Winterbottom, The approximation of system reliability posterior distributions 16(3) (1987) 267–275
Abdel-Wahid, A.A. and A. Winterbottom, Approximate Bayesian estimates for the Weibull reliability function and hazard rate from censored data 16(3) (1987) 277–283
Adhikary, A.K., *see* A. Chaudhuri 12(2) (1985) 199–202
Agarwal, A.K. and G.E. Andrews, Hook differences and lattice paths 14(1) (1986) 5– 14
Agrawal, H.C., Construction of two-class cyclic partially balanced incomplete block designs 16(1) (1987) 127–132
Aigner, M. and M. Schughart, Determining defectives in a linear order 12(3) (1985) 359–368
Akritas, M.G. and S. Kourouklis, Local Bahadur efficiency of score tests 19(2) (1988) 187–199
Albers, W., An exact rank test for scale under normality using Helmert's transformation 12(3) (1985) 331–346
Ali, M.M. and A.H. Khan, On order statistics from the log-logistic distribution 17(1) (1987) 103–108
Aly, E.-E.A.A., Quantile–quantile plots under random censorship 15(1) (1986) 123–128
Amoh, R.K., Asymptotic results for a linear discriminant function estimated from a mixture of inverse Gaussian populations 14(2) (1986) 233–243
Anderson, D.A. and J.A. Eccleston, On the construction of a class of efficient row–column designs 11(3) (1985) 131–134
Andrews, G.E., *see* A.K. Agarwal 14(1) (1986) 5– 14
Aras, G., Sequential estimation of the mean exponential survival time under random censoring 16(2) (1987) 147–158
Avila, D., *see* S. Ghosh 11(2) (1985) 259–266

Babu, G.J., A note on comparison of conditional means 19(2) (1988) 253–259
Bailey, R.A., Semi-Latin squares 18(3) (1988) 299–312
Baksalary, J.K. and R. Kala, Linear sufficiency with respect to a given vector of parametric functions 14(3) (1986) 331–338
Baksalary, J.K. and A. Markiewicz, Characterizations of admissible linear estimators in restricted linear models 13(3) (1986) 395–398
Baksalary, J.K. and A. Markiewicz, Admissible linear estimators in the general Gauss–Markov model 19(3) (1988) 349–359
Baksalary, J.K. and P.D. Puri, Criteria for the validity of Fisher's condition for balanced block designs 18(1) (1988) 119–123
Baksalary, J.K. and Z. Tabis, Existence and constructions of connected block designs with given vectors of treatment replications and block sizes 12(3) (1985) 285–293
Baksalary, J.K. and Z. Tabis, Conditions for the robustness of block designs against the unavailability of data 16(1) (1987) 49– 54
Balakrishnan, N. and S. Kocherlakota, On the moments of order statistics from the doubly truncated logistic distribution 13(1) (1986) 117–129
Balakrishnan, N. and H.J. Malik, Moments of order statistics from truncated log-logistic distribution 17(2) (1987) 251–267

0378-3758/88/$3.50 ©1988, Elsevier Science Publishers B.V. (North-Holland)

Banerjee, S. and S. Kageyama, A method of constructing regular block designs 13(3) (1986) 399–401
Bansal, M.L. and R. Singh, An alternative estimator for multiple characteristics in PPS sampling 11(3) (1985) 313–320
Bar-Lev, S.K. and B. Boukai, Minimum variance unbiased estimation for families of distributions involving two truncation parameters 12(3) (1985) 379–384
Barlow, R.E. and X. Zhang, Bayesian analysis of inspection sampling procedures discussed by Deming 16(3) (1987) 285–296
Bartlett, R.F., Estimating the total of a continuous population 13(1) (1986) 51– 66
Bartoszyński, R. and S.M. Dynin, Asymptotic properties of the tumor growth curve estimator 18(1) (1988) 45– 56
Basu, A.P. and N. Ebrahimi, On a bivariate accelerated life test 16(3) (1987) 297–304
Basu, A.P. and N. Ebrahimi, Multivariate harmonic new better than used in expectation distributions 20(2) (1988) 181–190
Beaver, R.J., *see* R. Charnet 20(1) (1988) 91–103
Beaver, R.J., *see* J.N. Srivastava 13(2) (1986) 133–150
Behnen, K. and G. Neuhaus, Two sample adaptive rank tests under type II censoring 13(2) (1986) 203–213
Bellhouse, D.R. and J.N.K. Rao, On the efficiency of prediction estimators in two-stage sampling 13(3) (1986) 269–281
Berg, S. and J. Jaworski, Modified binomial and Poisson distributions with applications in random mapping theory 18(3) (1988) 313–322
Berkum, E.E.M. van, Optimal paired comparison designs for factorial and quadratic models 15(3) (1987) 265–278
Berry, K.I., *see* P.W. Mielke, Jr. 12(1) (1985) 41– 45
Best, D.J. and J.C.W. Rayner, Lancaster's test of normality 12(3) (1985) 395–400
Best, D.J., *see* J.C.W. Rayner 11(2) (1985) 197–206
Bhandari, S.K. and A. Bose, On selecting the most likely event 17(2) (1987) 227–240
Bhattacharjee, M.C., New results for the Brown–Proschan model of imperfect repair 16(3) (1987) 305–316
Bhattacharyya, G.K., *see* K.G. Mehrotra 17(2) (1987) 241–250
Billington, E.J., On Mendelsohn and directed triple systems with repeated elements allowed in triples 12(1) (1985) 75– 79
Birkes, D., C. Pereira and J. Seely, Scalar multiples of admissible linear estimators 17(3) (1987) 337–344
Bjørnstad, J.F., Subset selection of superior populations when the number of populations is large 11(2) (1985) 207–216
Bjørnstad, J.F., Asymptotic consistency for subset selection procedures satisfying the P^*-condition 13(3) (1986) 319–335
Böhning, D., Numerical estimation of a probability measure 11(1) (1985) 57– 69
Bohrer, R. and A. Martinsek, On combining Stein estimation problems: An adaptive rule under classical criteria 14(3) (1986) 301–309
Boopathy, G.M., *see* A.K. Nigam 11(1) (1985) 111–117
Borah, M., *see* J. Medhi 14(1) (1986) 69– 77
Borkent, M., *see* N. Cressie 13(3) (1986) 337–344
Bose, A., Certain non-uniform rates of convergence to normality for martingale differences 14(2) (1986) 155–167
Bose, A., *see* S.K. Bhandari 17(2) (1987) 227–240
Bose, M., *see* R. Mukerjee 19(2) (1988) 261–267
Boukai, B., *see* S.K. Bar-Lev 12(3) (1985) 379–384
Boyle, J.P., *see* R.L. Dykstra 15(3) (1987) 391–399
Brown, E.F., *see* K.M. Hassanein 14(3) (1986) 389–400

Buonaccorsi, J.P. and H.K. Iyer, Optimal designs for ratios of linear combinations in the general linear model 13(3) (1986) 345–356
Burdick, R.K., *see* T.-F.C. Lu 18(1) (1988) 35– 43
Butler, N.T., Symmetric designs of Types V and VI 11(3) (1985) 355–361

Calvin, J.A., A new class of variance balanced designs 14(2) (1986) 251–254
Carmody, T.J., Diagnostics for multivariate smoothing splines 19(2) (1988) 171–186
Ceranka, B. and S. Mejza, A note on the inequality $b \geq t$ for block designs 13(1) (1986) 97–101
Chadjipantelis, T., S. Kounias and C. Moyssiadis, The maximum determinant of 21×21 $(+1, -1)$-matrices and D-optimal designs 16(2) (1987) 167–178
Chan, L.-Y., Optimal design for a linear log contrast model for experiments with mixtures 20(1) (1988) 105–113
Chandra, R., *see* V.K. Srivastava 11(1) (1985) 15– 21
Chandrasekar, B., An optimality criterion for vector unbiased statistical estimation functions 18(1) (1988) 115–117
Chang, C.-T., and K. Hinkelmann, A new series of EGD-PBIB designs 16(1) (1987) 1– 13
Charalambides, C.A., Gould series distributions with applications to fluctuations of sums of random variables 14(1) (1986) 15– 28
Charnet, R. and R.J. Beaver, Design and analysis of paired comparison experiments involving mixtures 20(1) (1988) 91–103
Chatterjee, K. and R. Mukerjee, Some search designs for symmetric and asymmetric factorials 13(3) (1986) 357–363
Chaudhuri, A. and A.K. Adhikary, Some results on admissibility and uniform admissibility in double sampling 12(2) (1985) 199–202
Chaudhuri, A., Randomized response surveys of finite populations: A unified approach with quantitative data 15(2) (1987) 157–165
Cheng, C.-S. and G.M. Constantine, On the efficiency of regular generalized line graph designs 15(1) (1986) 1– 10
Chhikara, R.S. and C.R. Perry, Jr., Estimation of stratum variances in planning of crop acreage surveys 15(1) (1986) 97–114
Chiang, C.-Y., Tests of the parallelism of several regression surfaces based on rank-order estimates 14(3) (1986) 373–387
Chopra, D.V., W.A.K. Kipngeno and S. Ghosh, More precise tables of optimal balanced 2^m fractional factorial designs of Srivastava and Chopra, $7 \leq m \leq 10$ 15(1) (1986) 115–121
Choudhury, J. and R.J. Serfling, Generalized order statistics, Bahadur representations, and sequential nonparametric fixed-width confidence intervals 19(3) (1988) 269–282
Clarke, B.R., Asymptotic theory for description of regions in which Newton–Raphson iterations converge to location M-estimators 15(1) (1986) 71– 85
Cohen, A., A. Rukhin and W.E. Strawderman, A characterization of the multivariate normal distribution and some remarks on linear estimators 17(3) (1987) 361–365
Cohen, D.I.A. and T.M. Katz, A geometric connection between the cubic lattice and the honeycomb lattice 14(1) (1986) 29– 34
Cohen, J.P. and S.S. Menjoge, One-sample run tests of symmetry 18(1) (1988) 93–100
Collomb, G., W. Härdle and S. Hassani, A note on prediction via estimation of the conditional mode function 15(2) (1987) 227–236
Conforti, M. and Y. Hochberg, Sequentially rejective pairwise testing procedures 17(2) (1987) 193–208
Constantine, K.B., Y.B. Lim and W.J. Studden, Admissible and optimal exact designs for polynomial regression 16(1) (1987) 15– 32

Constantine, G.M., *see* C.-S. Cheng 15(1) (1986) 1- 10
Corral, N., *see* M.A. Gil 19(1) (1988) 95-115
Cressie, N. and M. Borkent, The moment generating function has its moments 13(3) (1986) 337-344
Csáki, E., Some applications of the classical formula on ruin probabilities 14(1) (1986) 35- 42
Csörgő, M. and L. Horváth, Nonparametric tests for the changepoint problem 17(1) (1987) 1- 9
Cuesta, J.A., and C. Matrán, L_p-linear regression, consistency and significative regression in median 13(1) (1986) 15- 30
Cuevas, A., Qualitative robustness in abstract inference 18(3) (1988) 277-289

Dale, M.R.T. and T.V. Narayana, Non-parametric tests for Catalan sequences 14(1) (1986) 43- 47
Dale, M.R.T. and T.V. Narayana, A partition of Catalan permuted sequences with applications 14(2) (1986) 245-249
Dale, M.R.T. and T.V. Narayana, The number of decision sets involving n means 18(3) (1988) 371-376
Dalgaard, P. and S. Johansen, The asymptotic properties of the Cornish-Bowden-Eisenthal median estimator 15(3) (1987) 279-299
Datta, P., *see* G.K. Shukla 12(1) (1985) 93-102
Dawson, J.E., A construction for generalized Hadamard matrices GH($4q$, EA(q)) 11(1) (1985) 103-110
Dayal, S., Allocation of sample using values of auxiliary characteristic 11(3) (1985) 321-328
De Dominicis, R., Reliability analysis of two-unit stand-by redundant systems allowing for aging 16(3) (1987) 317-327
DeGroot, M.H., A Bayesian view of assessing uncertainty and comparing expert opinion 20(3) (1988) 295-306
Deheuvels, P., A. Karr, D. Pfeifer and R. Serfling, Poisson approximations in selected metrics by coupling and semigroup methods with applications 20(1) (1988) 1- 22
Dempster, A.P. and A. Kong, Uncertain evidence and artificial analysis 20(3) (1988) 355-368
Denker, M. and U. Rösler, A moment estimate for rank statistics 12(3) (1985) 269-284
Dey, D.K., M. Ghosh and C. Srinivasan, Simultaneous estimation of parameters under entropy loss 15(3) (1987) 347-363
Dey, D.K., *see* A.E. Gelfand 19(1) (1988) 121-131
Dockery, J.T., C3 managerial decision aids for dealing with uncertainty - Various approaches 20(3) (1988) 429-452
Does, R.J.M.M., Helmers, R. and Klaassen, C.A.J., On the Edgeworth expansion for the sum of a function of uniform spacings 17(2) (1987) 149-157
Donovan, D., More balanced ternary designs with block size four 17(1) (1987) 109-133
Dube, S.N., *see* H.C. Sharma 12(1) (1985) 115-122
Dube, S.N., *see* H.C. Sharma 14(2) (1986) 221-232
Dykstra, R.L. and J.P. Boyle, An algorithm for least squares projections onto the intersection of translated, convex cones 15(3) (1987) 391-399
Dynin, S.M., *see* R. Bartoszyński 18(1) (1988) 45- 56

Ebrahimi, N., Estimating the parameters of an exponential distribution from a hybrid life test 14(2) (1986) 255-261
Ebrahimi, N., *see* A.P. Basu 16(3) (1987) 297-304
Ebrahimi, N., *see* A.P. Basu 20(2) (1988) 181-190
Eccleston, J.A. and C.A. McGilchrist, Algebra of a row-column design 12(3) (1985) 305-310
Eccleston, J.A., *see* D.A. Anderson 11(1) (1985) 131-134
Eccleston, J.A., *see* K.R. Shah 15(1) (1986) 87- 95
Eubank, R.L. and V.N. LaRiccia, Regression type tests for parametric hypotheses based on sums of squared L-statistics 14(3) (1986) 401-407

Farmakis, N. and S. Kounias, Two new D-optimal designs (83,56,12), (83,55,12) 15(2) (1987) 247–257
Federer, W.T., *see* D. Raghavarao 13(2) (1986) 151–163
Feingold, M., A test statistic for combined intra- and inter-block estimates 12(1) (1985) 103–114
Fine, T.L., Lower probability models for uncertainty and nondeterministic processes 20(3) (1988) 389–411
Flury, B.N., A note on multivariate parallel regression 12(3) (1985) 369–377
Foody, W.M. and A.S. Hedayat, A graphical proof of the nonexistence of BIB(7,b,r,3,λ|16) designs 20(1) (1988) 77– 90
Frank, O. and P. Weidenman, Controlling individual information in statistics by coding 17(3) (1987) 321–336
Fraser, D.A.S. and H. Massam, Location inference on spheres and cylinders 18(2) (1988) 195–201
Freeman, G.H., *see* R.A. Ipinyomi 20(2) (1988) 191–199
Friedman, L. and I. Gertsbakh, Estimation of a standard measuring error by repeated measurements and sortings 11(1) (1985) 1– 14

Gaffke, N., On D-optimality of exact linear regression designs with minimum support 15(2) (1987) 189–204
Gardiner, J.C., V. Susarla and J. Van Ryzin, Fixed width confidence intervals for the exponential mean survival time under random censorship 12(2) (1985) 153–159
Gardiner, J.C., V. Susarla and J. Van Ryzin, On bounded length confidence intervals for quantiles of the survival distribution 18(2) (1988) 245–253
Gasim, A.A., First-order autoregressive models: A method for obtaining eigenvalues for weighting matrices 18(3) (1988) 391–398
Gastwirth, J.L. and J.-L. Wang, Control percentile test procedures for censored data 18(3) (1988) 267–276
Geisser, S., *see* W.O. Johnson 11(1) (1985) 33– 56
Gelfand, A.E. and D.K. Dey, On the estimation of a variance ratio 19(1) (1988) 121–131
Georgiev, A.A. and W. Greblicki, Nonparametric function recovering from noisy observations 13(1) (1986) 1– 14
Gertsbakh, I., *see* L. Friedman 11(1) (1985) 1– 14
Gessel, I.M., A probabilistic method for lattice path enumeration 14(1) (1986) 49– 58
Ghosh, M., *see* D.K. Dey 15(3) (1987) 347–363
Ghosh, S. and D. Avila, Some new factor screening designs using the search linear model 11(2) (1985) 259–266
Ghosh, S. and A.K. Kipngeno, On the robustness of the optimum balanced 2^m factorial designs of resolution V (given by Srivastava and Chopra) in the presence of outliers 11(1) (1985) 119–129
Ghosh, S., *see* D.V. Chopra 15(1) (1986) 115–121
Gijbels, I. and N. Veraverbeke, Weak asymptotic representations for quantiles of the product-limit estimator 18(2) (1988) 151–160
Gil, M.A., N. Corral and P. Gil, The minimum inaccuracy estimates in χ^2 tests for goodness of fit with fuzzy observations 19(1) (1988) 95–115
Gil, P., *see* M.A. Gil 19(1) (1988) 95–115
Gill, D.S. and M. Siotani, On randomization in multivariate analysis of variance 17(2) (1987) 217–226
Gill, P.S., Balanced incomplete arrays 14(2) (1986) 179–185
Gilstein, C.Z., Optimal partitions of finite populations for Dorfman-type group testing 12(3) (1985) 385–394
Gilula, Z., On some similarities between contingency table methods and grouped data survival analytic techniques 14(2) (1986) 203–211

Giovagnoli, A., Pukelsheim, F. and Wynn, H.P., Group invariant orderings and experimental designs 17(2) (1987) 159–171
Gleser, L.J., *see* J.Y. Shyr 14(3) (1986) 339–358
Gnot, S., Quadratic estimation of variance components in mixed block designs 16(2) (1987) 231–236
Gnot, S., J. Kleffe and R. Zmyślony, Nonnegativity of admissible invariant quadratic estimates in mixed linear models with two variance components 12(2) (1985) 249–258
Goel, P.K. and T. Ramalingam, Some properties of the maximum likelihood strategy for re-pairing a broken random sample 16(2) (1987) 237–248
Goicoechea, A., Expert system models for inference with imperfect knowledge: A comparative study 20(3) (1988) 245–277
Gokhale, D.V. and A. Sen Gupta, Optimal tests for the correlation coefficient in a symmetric multivariate normal population 14(2) (1986) 263–268
Good, I.J., *see* G.I. Holtzman 13(3) (1986) 283–295
Govindarajulu, Z., *see* S.H. Mansouri Ghiassi 13(2) (1986) 239–249
Cray, H.L., *see* J.D. Hart 12(2) (1985) 137–152
Graybill, F.A., *see* T.-F.C. Lu 18(1) (1988) 35– 43
Greblicki, W., *see* A.A. Georgiev 13(1) (1986) 1– 14
Guiasu, S., Grouping data by using weighted entropy 15(1) (1986) 63– 69
Gupta, L.R., *see* P.D. Puri 20(1) (1988) 121–128
Gupta, R. and D. Richards, Testing optimality of experimental designs for a regression model with random variables 11(1) (1985) 75– 80
Gupta, R.C., On the monotonic properties of the residual variance and their applications in reliability 16(3) (1987) 329–335
Gupta, S.C., Iterative analysis of two- and three-way designs 11(1) (1985) 95–102
Gupta, S.C., On Kronecker block designs for factorial experiments 11(2) (1985) 227–236
Gupta, S.C., Interaction efficiencies in Kronecker block designs 14(2) (1986) 275–279
Gupta, S.C., The association matrices of extended group divisible scheme 20(1) (1988) 115–119
Gupta, S.S. and D.-Y. Huang, Selecting important independent variables in linear regression models 20(2) (1988) 155–167
Gupta, S.S. and K.J. Miescke, Minimax multiple t-tests for comparing k normal populations with a control 12(2) (1985) 161–169
Gupta, S.S. and K.J. Miescke, Optimum two-stage selection procedures for Weibull populations 15(2) (1987) 147–156
Gupta, S.S. and H.-M. Yang, Bayes-P^* subset selection procedures for the best population 12(2) (1985) 213–233
Gupta, V.K. and A.K. Nigam, A class of asymmetrical orthogonal resolution-IV designs 11(3) (1985) 381–383
Gupta, V.K., *see* P. Kumar 12(1) (1985) 127–131
Gutmann, S., Tests uniformly more powerful than uniformly most powerful monotone tests 17(3) (1987) 279–292

Handa, B.R. and S.G. Mohanty, On a property of lattice paths 14(1) (1986) 59– 62
Halteman, E., The Chebyshev center: A multidimensional estimate of location 13(3) (1986) 389–394
Härdle, W., *see* G. Collomb 15(2) (1987) 227–236
Harel, M., Weak convergence of multidimensional rank statistics under ϕ-mixing conditions 20(1) (1988) 41– 63
Hart, J.D. and H.L. Gray, The ARMA method of approximating probability density functions 12(2) (1985) 137–152
Hassanein, K.M., A.K. Md. E. Saleh and E.F. Brown, Estimation and testing of quantiles of the extreme-value distribution 14(3) (1986) 389–400
Hassani, S., *see* G. Collomb 15(2) (1987) 227–236

Hayakawa, T., On testing hypotheses of covariance matrices under an elliptical population 13(2) (1986) 193–202
Heckman, N.E., Robust design in a two treatment comparison in the presence of a covariate 16(1) (1987) 75– 81
Hedayat, A.S. and D. Majumdar, Model robust optimal designs for comparing test treatments with a control 18(1) (1988) 25– 33
Hedayat, A.S. and H. Pesotan, A study of BIB designs through support matrices 11(3) (1985) 363–372
Hedayat, A.S. and H. Pesotan, Characterization of triply balanced matrices with applications to survey sampling 15(1) (1986) 11– 17
Hedayat, A.S., C.R. Rao and J. Stufken, Sampling plans excluding contiguous units 19(2) (1988) 159–170
Hedayat, A.S., *see* W.M. Foody 20(1) (1988) 77– 90
Helmers, R. and F.H. Ruymgaart, Asymptotic normality of generalized *L*-statistics with unbounded scores 19(1) (1988) 43– 53
Helmers, R., *see* R.J.M.M. Does 17(2) (1987) 149–157
Hinkelmann, K., *see* C.-T. Chang 16(1) (1987) 1– 13
Hochberg, Y., Multiple classification rules for signs of parameters 15(2) (1987) 177–188
Hochberg, Y., *see* M. Conforti 17(2) (1987) 193–208
Hodoshima, J., Locally most powerful rank tests for regression under truncation 18(2) (1988) 239–244
Holtzman, G.I. and I.J. Good, The Poisson and chi-squared approximations as compared with the true upper-tail probability of Pearson's X^2 for equiprobable multinomials 13(3) (1986) 283–295
Horn, P.S., Back-to-back mixtures of discrete distributions 11(3) (1985) 267–276
Hornik, K., On asymptotically optimal tests 20(2) (1988) 131–154
Horváth, L., *see* M. Csörgő 17(1) (1987) 1– 9
Huang, D.-Y., *see* S.S. Gupta 20(2) (1988) 155–167
Huang, M.-N.L. and W.J. Studden, Model robust extrapolation designs 18(1) (1988) 1– 24
Huda, S., Variance of the difference between two estimated responses 11(1) (1985) 89– 93
Hwang, F.K. and Y.H. Xu, Group testing to identify one defective and one mediocre item 17(3) (1987) 367–373
Hwang, H.L., On the structure of (v,k,t) trades 13(2) (1986) 179–191

Iachan, R., Robust designs for ratio and regression estimation 11(2) (1985) 149–161
Ipinyomi, R.A. and G.H. Freeman, Equineighboured balanced nested row–column design 20(2) (1988) 191–199
Iverson, H.K. and R.H. Randles, Large sample properties of cross-validation assessment statistics 15(1) (1986) 43– 62
Iyer, H.K., *see* J.P. Buonaccorsi 13(3) (1986) 345–356

Jacroux, M., Some sufficient conditions for the type 1 optimality of block designs 11(3) (1985) 385–398
Jacroux, M., On the E- and MV-optimality of spring balance designs with string property 13(1) (1986) 89– 96
Jacroux, M., On the determination and construction of MV-optimal block designs for comparing test treatments with a standard treatment 15(2) (1987) 205–225
Jacroux, M., Some further results on the MV-optimality of block designs for comparing test treatments to a standard treatment 20(2) (1988) 201–214
Jacroux, M., *see* K.Y. Lee 16(2) (1987) 193–201
Jammalamadaka, S.R. and R.C. Tiwari, Asymptotic comparison of three tests for goodness of fit 12(3) (1985) 295–304

Janssen, P., R. Serfling and N. Veraverbeke, Asymptotic normality of U-statistics based on trimmed samples 16(1) (1987) 63- 74
Jaworski, J., *see* S. Berg 18(3) (1988) 313-322
Johansen, S., *see* P. Dalgaard 15(3) (1987) 279-299
Johnson, W. and S. Geisser, Estimative influence measures for the multivariate general linear model 11(1) (1985) 33- 56
Joshi, V.M., Randomization versus the prediction approach in survey sampling 20(2) (1988) 215-219

Kageyama, S., A construction of group divisible designs 12(1) (1985) 123-125
Kageyama, S., Addendum to "Connectedness of two-associate PBIB designs" 13(1) (1986) 131-132
Kageyama, S., On orthogonal arrays attaining Rao's bounds 19(3) (1988) 395-400
Kageyama, S., A note of A-efficiency of connected designs 20(2) (1988) 221-224
Kageyama, S., *see* S. Banerjee 13(3) (1986) 399-401
Kageyama, S., *see* P.D. Puri 15(3) (1987) 365-378
Kageyama, S., *see* G.M. Saha 18(2) (1988) 255-265
Kale, B.K., A note on the super efficient estimator 12(2) (1985) 259-263
Kale, B.K., Essential uniqueness of optimal estimating functions 17(3) (1987) 405-407
Kala, R., *see* J.K. Baksalary 14(3) (1986) 331-338
Kapadia, C.H., A.H. Kvanli and K.R. Lee, Minimal sufficient statistics for incomplete block designs with interaction under an Eisenhart model III 19(3) (1988) 317-324
Kappenman, R.F., Robust symmetric distribution location estimation and regression 19(1) (1988) 55- 72
Kariya, T. and B.K. Sinha, Optimality rubustness of tests in two population problems 15(2) (1987) 167-176
Kariya, T. and C.F.J. Wu, On the nonsingularity of principal submatrices of a random orthogonal matrix 12(3) (1985) 353-357
Karkiewicz, A., *see* J.K. Baksalary 19(3) (1988) 349-359
Karr, A., *see* P. Deheuvels 20(1) (1988) 1- 22
Katz, T.M., *see* D.I.A. Cohen 14(1) (1986) 29- 34
Kaul, C.L. and K. Sen, Distributions of rank order statistics related to a generalised random walk 12(2) (1985) 177-191
Kestenband, B.C., Balanced incomplete block designs on $q+1$ elements 13(1) (1986) 45- 50
Khan, A.H., *see* M.M. Ali 17(1) (1987) 103-108
Khan, M.K., Optimal Bayesian estimation of the median effective dose 18(1) (1988) 69- 81
Khan, M.K. and A.A. Yazdi, On D-optimal designs for binary data 18(1) (1988) 83- 91
Khattree, R. and S.D. Peddada, A short note on Pitman nearness for elliptically symmetric estimators 16(2) (1987) 257-260
Khosrovshahi, G.B. and E.S. Mahmoodian, BIB(9,18t,8t,4,3t) designs with repeated blocks 18(1) (1988) 125-131
Khuri, A.I., *see* M.C. Wijesinha 16(2) (1987) 179-192
Kipngeno, W.A.K., *see* D.V. Chopra 15(1) (1986) 115-121
Kipngeno, W.A.K., *see* S. Ghosh 11(1) (1985) 119-129
Klaassen, C.A.J., *see* R.J.M.M. Does 17(2) (1987) 149-157
Kleffe, J., *see* S. Gnot 12(2) (1985) 249-258
Kocherlakota, S., *see* N. Balakrishnan 13(1) (1986) 117-129
Kong, A., *see* A.P. Dempster 20(3) (1988) 355-368
Koronacki, J. and W. Wertz, A global stopping rule for recursive density estimators 20(1) (1988) 23- 39
Kounias, S., *see* T. Chadjipantelis 16(2) (1987) 167-178
Kounias, S., *see* N. Farmakis 15(2) (1987) 247-257

Kourouklis, S., *see* M.G. Akritas 19(2) (1988) 187–199
Krafft, O., On universally optimal designs for regression setups 12(3) (1985) 347–352
Kreweras, G. and P. Moszkowski, A new enumerative property of the Narayana numbers 14(1) (1986) 63– 67
Krzyżak, A. and M. Pawlak, The pointwise rate of convergence of the kernel regression estimate 16(2) (1987) 159–166
Kulkarni, R.V. and V.G. Kulkarni, Optimal Bayes procedures for selecting the better of two Bernoulli populations 15(3) (1987) 311–330
Kulkarni, V.G., *see* R.V. Kulkarni 15(3) (1987) 311–330
Kumar, P., V.K. Gupta and A.K. Nigam, On inclusion probability proportional to size sampling scheme 12(1) (1985) 127–131
Kuriki, S., Existence of 2-symbol balanced arrays of strength t and $t+2$ constraints 20(2) (1988) 225–228
Kuriki, S., *see* M. Kuwada 19(3) (1988) 373–382
Kuwada, M., Balanced fractional 2^{m_1} factorial designs of resolution V for interesting effects orthogonal to some effects concerning m_2 factors 13(3) (1986) 365–376
Kuwada, M., On some partially balanced fractional $2^{m_1+m_2}$ factorial designs of resolution VI$^-$ 17(1) (1987) 93–102
Kuwada, M., A-optimal partially balanced fractional $2^{m_1+m_2}$ factorial designs of resolution V, with $4 \le m_1+m_2 \le 6$ 18(2) (1988) 177–193
Kuwada, M. and S. Kuriki, Balanced fractional factorial designs of resolution $2l+1$ for interesting effects orthogonal to some nuisance parameters: $2^{m_1+m_2}$ series 19(3) (1988) 373–382
Kuwada, M. and R. Nishii, On the characteristic polynomial of the information matrix of balanced fractional s^m factorial designs of resolution $V_{p,q}$ 18(1) (1988) 101–114
Kvanli, A.H., *see* C.H. Kapadia 19(3) (1988) 317–324

Lahiri, P., *see* S.D. Peddada 18(3) (1988) 345–353
LaRiccia, V.N., Optimal goodness-of-fit tests for normality against skewness and kurtosis alternatives 13(1) (1986) 67– 79
LaRiccia, V.N., *see* R.L. Eubank 14(3) (1986) 401–407
Lau, T.-S., D-optimal designs on the unit q-ball 19(3) (1988) 299–315
Launey, W. de, On difference matrices, transversal designs, resolvable transversal designs and large sets of mutually orthogonal F-squares 16(1) (1987) 107–125
Lea, C.-D. and M.L. Puri, Asymptotic properties of linear functions of order statistics 18(2) (1988) 203–223
Lea, C.-D. and M.L. Puri, Asymptotic properties of perturbed empirical distribution functions evaluated at a random point 19(2) (1988) 201–215
Lee, C.M.-S., Constrained optimal designs 18(3) (1988) 377–389
Lee, K.R., *see* C.H. Kapadia 19(3) (1988) 317–324
Lee, K.Y. and M. Jacroux, On the construction of E- and MV-optimal group divisible designs with unequal block sizes 16(2) (1987) 193–201
Levy, M.S. and S.K. Perng, A note on the consistency of the modified Fisher prediction function 13(2) (1986) 263–267
Liang, W., Consistency of modified Fisher prediction function 17(3) (1987) 401–403
Liebler, R. and A.D. Meyerowitz, Partial geometric lattices, II: Association schemes 18(2) (1988) 161–176
Lim, Y.B., *see* K.B. Constantine 16(1) (1987) 15– 32
Lin, G.D., Characterizations of distributions via relationships between two moments of order statistics 19(1) (1988) 73– 80

Lio, Y.L., W.J. Padgett and K.F. Yu, On the asymptotic properties of a kernel type quantile estimator from censored samples 14(2) (1986) 169–177
Littell, R.C., *see* W.W. Offen 15(3) (1987) 331–346
Loh, W.-Y., The Cauchy mean value property for M-estimators 12(2) (1985) 265–267
Longyear, J.Q., Nested group divisible designs and small nested designs 13(1) (1986) 81– 87
Lower, W.R., *see* W.A. Thompson Jr. 16(1) (1987) 83– 87
Lowrance, J.D., Automating argument construction 20(3) (1988) 369–387
Lu, T.-F.C., F.A. Graybill and R.K. Burdick, Confidence intervals on a difference of expected mean squares 18(1) (1988) 35– 43
Mahmoodian, E.S., *see* G.B. Khosrovshahi 18(1) (1988) 125–131
Majumdar, D., Optimal designs for comparisons between two sets of treatments 14(3) (1986) 359–372
Majumdar, D., *see* A.S. Hedayat 18(1) (1988) 25– 33
Malik, H.J., *see* N. Balakrishnan 17(2) (1987) 251–267
Mansouri Ghiassi, S.H. and Z. Govindarajulu, An asymptotically distribution-free test for ordered alternatives in two-way layouts 13(2) (1986) 239–249
Marco, V.R., *see* D.M. Young 17(3) (1987) 307–319
Markiewicz, A., *see* J.K. Baksalary 13(3) (1986) 395–398
Marsh, G.M., *see* B.R. Rao 12(3) (1985) 311–329
Marsh, G.M., *see* B.R. Rao 18(3) (1988) 323–343
Martinsek, A.T., Two-stage and fully sequential determination of estimator as well as sample size 17(1) (1987) 11– 20
Martinsek, A.T., *see* R. Bohrer 14(3) (1986) 301–309
Masaro, J.C., On A-optimal block matrices and weighing designs when $N \equiv 3 \pmod 4$ 18(3) (1988) 363–370
Massam, H., *see* D.A.S. Fraser 18(2) (1988) 195–201
Matrán, C., *see* J.A. Cuesta 13(1) (1986) 15– 30
Mau, J., Statistical modelling via partitioned counting processes 12(2) (1985) 171–176
Maymin, Z., On a conjecture of Barlow and Proschan concerning reliability bounds 16(3) (1987) 337–344
McCulloch, R.E., Some remarks on allocatory and separatory linear discrimination 14(3) (1986) 323–330
McDonald, J.B., *see* D.O. Richards 16(3) (1987) 365–376
McGilchrist, C.A., *see* J.A. Eccleston 12(3) (1985) 305–310
McKean, J.W., *see* G.L. Sievers 13(2) (1986) 215–230
McNichols, D.T. and W.J. Padgett, Inference for step-stress accelerated life tests under arbitrary right-censorship 20(2) (1988) 169–179
Medhi, J. and M. Borah, On generalized four-parameter Charlier distribution 14(1) (1986) 69– 77
Mehrotra, K.G. and G.K. Bhattacharyya, Estimation in a Gaussian linear regression model under type II censoring 17(2) (1987) 241–250
Mehta, B.D., *see* P.D. Puri 15(3) (1987) 365–378
Mejza, S., *see* B. Ceranka 13(1) (1986) 97–101
Mendelson, H., Lattice path combinatorics and linear probing 14(1) (1986) 79– 93
Menjoge, S.S., *see* J.P. Cohen 18(1) (1988) 93–100
Meslem, A.-E.-H., Asymptotic expansions for fixed width confidence interval 17(1) (1987) 51– 65
Meyerowitz, A. and R. Miskimins, Partial geometric lattices I: Regularity conditions 17(1) (1987) 21– 50
Meyerowitz, A.D., *see* R. Liebler 18(2) (1988) 161–176
Mielke, P.W., Jr., Non-metric statistical analyses: Some metric alternatives 13(3) (1986) 377–387
Mielke, P.W., Jr. and K.I. Berry, Non-asymptotic inferences based on the chi-square statistic for r by c contingency tables 12(1) (1985) 41– 45

Miescke, K.J., *see* S.S. Gupta 12(2) (1985) 161–169
Miescke, K.J., *see* S.S. Gupta 15(2) (1987) 147–156
Milbrodt, H., Limits of experiments associated with sampling plans 19(1) (1988) 1– 29
Miller, J.J. and E.J. Wegman, Vector function estimation using splines 17(2) (1987) 173–180
Miskimins, R., *see* A. Meyerowitz 17(1) (1987) 21– 50
Mohanty, S.G., *see* B.R. Handa 14(1) (1986) 59– 62
Montakhab, M.S., Embedding of finite pseudo-complements of quadrilaterals 13(1) (1986) 103–110
Moore, L.M., Singular factorial designs resulting from missing pairs of design points 19(3) (1988) 325–340
Morris, J.A., *see* M. Stone 12(1) (1985) 1– 9
Moszkowski, P., *see* G. Kreweras 14(1) (1986) 63– 67
Moyssiadis, C., *see* T. Chadjipantelis 16(2) (1987) 167–178
Mukerjee, R. and M. Bose, Non-equireplicate Kronecker factorial designs 19(2) (1988) 261–267
Mukerjee, R. and R. Saha Ray, Asymptotically optimal weighing designs with string property 12(1) (1985) 87– 91
Mukerjee, R., *see* K. Chatterjee 13(3) (1986) 357–363
Mukerjee, R., *see* G.M. Saha 18(2) (1988) 255–265
Mukerjee, R., *see* M. Sen 17(1) (1987) 81– 91
Mukhopadhyay, N., Three-stage procedures for selecting the best exponential population 16(3) (1987) 345–352
Mustafi, C.K., Residual median for non-identically distributed random variables 17(3) (1987) 389–400

Nabeya, S., On a condition for the log-rank test to be a locally optimal rank test 13(3) (1986) 403–405
Nagaraja, H.N., A note on the conditional Markov property of discrete order statistics 13(1) (1986) 37– 43
Nagaraja, H.N., Structure of discrete order statistics 13(2) (1986) 165–177
Nagaraja, H.N., Some characterizations of discrete distributions based on linear regressions of adjacent order statistics 20(1) (1988) 65– 75
Nagaraja, H.N. and R.C. Srivastava, Some characterizations of geometric type distributions based on order statistics 17(2) (1987) 181–191
Narayana, T.V., *see* M.R.T. Dale 14(1) (1986) 43– 47
Narayana, T.V., *see* M.R.T. Dale 14(2) (1986) 245–249
Narayana, T.V., *see* M.R.T. Dale 18(3) (1988) 371–376
Nath, P. and R. Singh, On symmetry and the directed divergence in information theory 12(2) (1985) 235–248
Nath, P. and R. Singh, Quasicyclic symmetry and the directed divergence in information theory 16(1) (1987) 33– 47
Neuhaus, G., *see* K. Behnen 13(2) (1986) 203–213
Niederhausen, H., The enumeration of restricted random walks by Sheffer polynomials with applications to statistics 14(1) (1986) 95–113
Nigam, A.K. and G.M. Boopathy, Incomplete block designs for symmetrical parallel line assays 11(1) (1985) 111–117
Nigam, A.K., *see* V.K. Gupta 11(3) (1985) 381–383
Nigam, A.K., *see* P. Kumar 12(1) (1985) 127–131
Nigam, A.K., *see* N.P. Singh 12(2) (1985) 193–198
Nishii, R. and T. Shirakura, More precise tables of Srivastava–Chopra balanced optimal 2^m fractional factorial designs of resolution V, $m \leq 6$ 13(1) (1986) 111–116
Nishii, R., *see* M. Kuwada 18(1) (1988) 101–114
Notz, W.I., Optimal designs for treatment-control comparisons in the presence of two-way heterogeneity 12(1) (1985) 61– 73

Odell, P.L., *see* D.M. Young 17(3) (1987) 307–319
Offen, W.W. and R.C. Littell, Design of paired comparison experiments when treatments are levels of a single quantitative variable 15(3) (1987) 331–346
Ohnishi, T. and T. Shirakura, Search designs for 2^m factorial experiments 11(2) (1985) 241–245
Ohnishi, T., *see* T. Shirakura 11(2) (1985) 247–258
Oman, S.D., An exact formula for the mean squared error of the inverse estimator in the linear calibration problem 11(2) (1985) 189–196
Oman, S.D., Corrigendum to "An exact formula for the mean squared error of the inverse estimator in the linear calibration problem" 12(3) (1985) 401
Ouyang, S.P. and J. Van Ryzin, Asymptotic distributions of estimators of the derivative of a density and the score function 12(1) (1985) 11– 25
Ovchinnikov, S.V., Survey of research on fuzzy sets in the Soviet Union 20(3) (1988) 413–428

Pace, L. and A. Salvan, A class of tests for exponentiality against monotone failure rate alternatives with incomplete data 16(2) (1987) 249–256
Padgett, W.J., *see* Y.L. Lio 14(2) (1986) 169–177
Padgett, W.J., *see* D.T. McNichols 20(2) (1988) 169–179
Pantula, S.G., *see* S. Sengupta 16(2) (1987) 203–211
Parihar, J.S. and R. Shrivastava, Methods of construction of group divisible designs 18(3) (1988) 399–404
Pathak, P.K., A. Singh, A.K. Singh, W.J. Zimmer, Empirical Bayesian estimation of mean life from an accelerated life test 16(3) (1987) 353–363
Pawlak, M., *see* A. Krzyżak 16(2) (1987) 159–166
Peddada, S.D. and P. Lahiri, The exact mean squared error of Stein-rule estimator in linear models 18(3) (1988) 345–353
Peddada, S.D., *see* R. Khattree 16(2) (1987) 257–260
Peixoto, J.L., Prediction in a class of mixed models with two variance components 19(1) (1988) 81– 94
Pereira, C., *see* D. Birkes 17(3) (1987) 337–344
Perng, S.K., *see* M.S. Levy 13(2) (1986) 263–267
Perry, C.R., Jr., *see* R.S. Chhikara 15(1) (1986) 97–114
Pesotan, H. and B.L. Raktoe, Some determinant optimality aspects of main effect fold-over designs 11(3) (1985) 399–410
Pesotan, H. and B.L. Raktoe, On invariance and randomization in factorial designs with applications to D-optimal main effect designs of the symmetrical factorial 19(3) (1988) 283–298
Pesotan, H., *see* A.S. Hedayat 11(3) (1985) 363–372
Pesotan, H., *see* A.S. Hedayat 15(1) (1986) 11– 17
Pfanzagl, J., Consistency of maximum likelihood estimators for certain nonparametric families, in particular: mixtures 19(2) (1988) 137–158
Pfeifer, D., *see* P. Deheuvels 20(1) (1988) 1– 22
Pilz, J., Minimax linear regression estimation with symmetric parameter restrictions 13(3) (1986) 297–318
Pourahmadi, M., Some sampling properties of empirical characteristic functions viewed as harmonizable stochastic processes 17(3) (1987) 345–359
Prasad, B., Equivalence of uniform asymptotic unbiasedness, mean square and strong consistencies of recursive estimates of a density and its p-th derivative 12(1) (1985) 81– 86
Preitschopf, F. and F. Pukelsheim, Optimal designs for quadratic regression 16(2) (1987) 213–218
Press, S.J., The MISER criterion for imbalance in the analysis of covariance 17(3) (1987) 375–388
Pukelsheim, F., *see* A. Giovagnoli 17(2) (1987) 159–171

Pukelsheim, F., *see* F. Preitschopf 16(2) (1987) 213–218
Puri, M.L. and T.-J. Wu, Gaussian approximation of signed rank statistics process 11(3) (1985) 277–312
Puri, M.L., *see* C.-D. Lea 18(2) (1988) 203–223
Puri, M.L., *see* C.-D. Lea 19(2) (1988) 201–215
Puri, P.D. and L.R. Gupta, Incomplete block designs for parallel line assays 20(1) (1988) 121–128
Puri, P.D., B.D. Mehta and S. Kageyama, Patterned constructions of partially efficiency-balanced designs 15(3) (1987) 365–378
Puri, P.D., *see* J.K. Baksalary 18(1) (1988) 119–123

Raghavarao, D., W.T. Federer and S.J. Schwager, Characteristics for distinguishing among balanced incomplete block designs with repeated blocks 13(2) (1986) 151–163
Raghavarao, D., *see* C.A. Weideman 16(1) (1987) 55– 61
Raktoe, B.L., *see* H. Pesotan 11(3) (1985) 399–410
Raktoe, B.L., *see* H. Pesotan 19(3) (1988) 283–298
Ramalingam, T., *see* P.K. Goel 16(2) (1987) 237–248
Randles, R.H., *see* H.K. Iverson 15(1) (1986) 43– 62
Rao, B.R. and G.M. Marsh, Approximate simultaneous inferential procedures for overall risk assessment of several competing causes in biomedical and epidemiologic studies 18(3) (1988) 323–343
Rao, B.R., G.M. Marsh and J. Winwood, Sidak-type simultaneous prediction intervals for the mortality measures $RSRR_i$ about the corresponding S_eP-MR_i for several competing risks of death in an epidemiologic study 12(3) (1985) 311–329
Rao, C.R., *see* A.S. Hedayat 19(2) (1988) 159–170
Rao, J.N.K., *see* D.R. Bellhouse 13(3) (1986) 269–281
Rayner, J.C.W. and D.J. Best, The effect of categorisation on testing for an exponential scale shift 11(2) (1985) 197–206
Rayner, J.C.W., *see* D.J. Best 12(3) (1985) 395–400
Richards, D.O. and J.B. McDonald, A general methodology for determining distributional forms with applications in reliability 16(3) (1987) 365–376
Richards, D., *see* R. Gupta 11(1) (1985) 75– 80
Risko, K.J., Selecting the better binomial population under a budget constraint 11(3) (1985) 341–353
Robinson, P.M., Approximate optimal collection in repeated sampling from a finite population 11(2) (1985) 135–148
Rodger, C.A., D.G. Sarvate and J. Seberry, Coloured designs, new group divisible designs and pairwise balanced designs 15(3) (1987) 379–389
Roebruck, P., Optimal designs for three-factorial split-plot models with random block effects 17(3) (1987) 293–305
Rösler, U., *see* M. Denker 12(3) (1985) 269–284
Rothschild, Lord, The distribution of English dictionary word lengths 14(3) (1986) 311–322
Roussas, G.G., Nonparametric estimation in mixing sequences of random variables 18(2) (1988) 135–149
Roy, B.K., Construction of strongly balanced uniform repeated measurements designs 19(3) (1988) 341–348
Rukhin, A.L., Quadratic estimators of quadratic functions of normal parameters 15(3) (1987) 301–310
Rukhin, A.L., Improved estimation in lognormal regression models 18(3) (1988) 291–297
Rukhin, A.L., *see* A. Cohen 17(3) (1987) 361–365
Rüschendorf, L., Two remarks on order statistics 11(1) (1985) 71– 74

Rüschendorf, L., On attainable distribution and classification vectors 15(2) (1987) 259–264
Ruymgaart, F.H., *see* R. Helmers 19(1) (1988) 43– 53

Saha, G.M., R. Mukerjee and S. Kageyama, Bounds on the number of constraints for balanced arrays of strength t 18(2) (1988) 255–265
Saha, G.M., *see* B.K. Sinha 11(2) (1985) 237–240
Saha Ray, R., *see* R. Mukerjee 12(1) (1985) 87– 91
Sahai, A. and A. Sahai, On efficient use of auxilliary information 12(2) (1985) 203–212
Sahai, A., *see* A. Sahai 12(2) (1985) 203–212
Saleh, A.K.Md.E., *see* K.M. Hassanein 14(3) (1986) 389–400
Salvan, A., *see* L. Pace 16(2) (1987) 249–256
Sane, S.S. and S.S. Shrikhande, On generalised quasi-residual designs 17(2) (1987) 269–276
Sarvate, D.G., *see* C.A. Rodger 15(3) (1987) 379–389
Sastry, D.V.S., A class of resolvable incomplete block designs 19(1) (1988) 117–120
Sathe, Y.S. and R.G. Shenoy, MV-optimal weighing designs 13(1) (1986) 31– 36
Schick, A., A note on the construction of asymptotically linear estimators 16(1) (1987) 89–105
Schick, A. and V. Susarla, Efficient estimation in some missing data problems 19(2) (1988) 217–228
Schughart, M., *see* M. Aigner 12(3) (1985) 359–368
Schwabe, R., On adaptive chemical balance weighing designs 17(2) (1987) 209–216
Schwager, S.J., *see* D. Raghavarao 13(2) (1986) 151–163
Seberry, J., Generalized Bhaskar Rao designs of block size three 11(3) (1985) 373–379
Seberry, J., Generalized Hadamard matrices and colourable designs in the construction of regular GDDs with two and three association classes 15(2) (1987) 237–246
Seberry, J., *see* C.A. Rodger 15(3) (1987) 379–389
Sebő, A., On two random search problems 11(1) (1985) 23– 31
Seely, J., *see* D. Birkes 17(3) (1987) 337–344
Sen, K., *see* C.L. Kaul 12(2) (1985) 177–191
Sen, M. and R. Mukerjee, Optimal repeated measurements designs under interaction 17(1) (1987) 81– 91
Sen, P.K., *see* J.M. Singer 13(2) (1986) 251–261
Sen Gupta, A., *see* D.V. Gokhale 14(2) (1986) 263–268
Sengupta, S., B.K. Sinha and S.G. Pantula, Some inferential aspects of finite population sampling with additional resources 16(2) (1987) 203–211
Serfling, R.J., *see* J. Choudhury 19(3) (1988) 269–282
Serfling, R.J., *see* P. Deheuvels 20(1) (1988) 1– 22
Serfling, R.J., *see* P. Janssen 16(1) (1987) 63– 74
Shah, K.R. and J.A. Eccleston, On some aspects of row–column designs 15(1) (1986) 87– 95
Shah, K.R., *see* B.K. Sinha 20(2) (1988) 229–236
Shapiro, L.W., A lattice path lemma and an application in enzyme kinetics 14(1) (1986) 115–122
Sharma, H.C. and S.N. Dube, Designs through automorphisms and solutions of T_2 (45, 5; 0, 1) 12(1) (1985) 115–122
Sharma, H.C. and S.N. Dube, Structure of PD-cycles and MOLS through them 14(2) (1986) 221–232
Shenoy, R.G., *see* Y.S. Sathe 13(1) (1986) 31– 36
Shirakura, T. and T. Ohnishi, Search designs for 2^m factorials derived from balanced arrays of strength $2(l+1)$ and AD-optimal search designs 11(2) (1985) 247–258
Shirakura, T., *see* R. Nishii 13(1) (1986) 111–116
Shirakura, T., *see* T. Ohnishi 11(2) (1985) 241–245
Shrikhande, S.S., *see* S.S. Sane 17(2) (1987) 269–276
Shrivastava, R., *see* J.S. Parihar 18(3) (1988) 399–404
Shukla, G.K. and P. Datta, Comparison of the inverse estimator with the classical estimator subject to a preliminary test in linear calibration 12(1) (1985) 93–102

Shyr, J.Y. and L.J. Gleser, Inference about comparative precision in linear structural relationships 14(3) (1986) 339–358
Sievers, G.L. and J.W. McKean, On the robust rank analysis of linear models with nonsymmetric error distributions 13(2) (1986) 215–230
Singer, J.M. and P.K. Sen, M-methods in growth curve analysis 13(2) (1986) 251–261
Singh, A.K., *see* P.K. Pathak 16(3) (1987) 353–363
Singh, M., *see* N.P. Singh 12(2) (1985) 193–198
Singh, N.P., A.K. Nigam and M. Singh, Analysis and characterization of row–column experiments involving two non-interacting sets of treatments 12(2) (1985) 193–198
Singh, R., Estimation from incomplete data in longitudinal surveys 11(2) (1985) 163–170
Singh, R., *see* M.L. Bansal 11(3) (1985) 313–320
Singh, R., *see* P. Nath 12(2) (1985) 235–248
Singh, R., *see* P. Nath 16(1) (1987) 33– 47
Sinha, B.K. and G.M. Saha, On the equivalence of two approaches to simplicity in the analysis of block designs and some related results 11(2) (1985) 237–240
Sinha, B.K. and K.R. Shah, Optimality aspects of 3-concurrence most balanced designs 20(2) (1988) 229–236
Sinha, B.K., *see* T. Kariya 15(2) (1987) 167–176
Sinha, B.K., *see* S. Sengupta 16(2) (1987) 203–211
Sinha, S.K., Bayesian estimation of the parameters and reliability function of a mixture of Weibull life distributions 16(3) (1987) 377–387
Siotani, M., *see* D.S. Gill 17(2) (1987) 217–226
Skovlund, E., A simulation study of three sequential two-sample tests with triangular continuation regions 19(3) (1988) 383–394
Soares, J.F. and C.F.J. Wu, Optimality of random allocation design for the control of accidental bias in sequential experiments 11(1) (1985) 81– 87
Sobel, M., Further paradoxes in admissibility 14(2) (1986) 213–220
Solomon, H., *see* E.J. Wegman 20(3) (1988) 241–243
Spruill, M.C., Model robustness of Hoel–Levine optimal designs 11(2) (1985) 217–225
Spruill, M.C., Optimal designs for interpolation 16(2) (1987) 219–229
Srinivasan, C., *see* D.K. Dey 15(3) (1987) 347–363
Srivastava, J.N., More efficient and less time-consuming censoring designs for life testing 16(3) (1987) 389–413
Srivastava, J.N. and R.J. Beaver, On the superiority of the nested multidimensional block designs, relative to the classical incomplete block designs 13(2) (1986) 133–150
Srivastava, R.R., *see* H.N. Nagaraja 17(2) (1987) 181–191
Srivastava, V.K. and R. Chandra, Properties of the mixed regression estimator when disturbances are not necessarily normal 11(1) (1985) 15– 21
Stam, A.J., Some stochastic processes in a random permutation 19(2) (1988) 229–244
Stone, M. and J.A. Morris, Exploratory studies in non-sequential non-local non-linear design 12(1) (1985) 1– 9
Strawderman, W.E., *see* A. Cohen 17(3) (1987) 361–365
Street, A.P., *see* D.J. Street 12(1) (1985) 47– 59
Street, D.J. and A.P. Street, Designs with partial nearest neighbour balance 12(1) (1985) 47– 59
Studden, W.J., *see* K.B. Constantine 16(1) (1987) 15– 32
Studden, W.J., *see* M.-N.L. Huang 18(1) (1988) 1– 24
Stufken, J., On bounds for the efficiency of block designs for comparing test treatments with a control 19(3) (1988) 361–372
Stufken, J., *see* A.S. Hedayat 19(2) (1988) 159–170
Susarla, V., *see* J.C. Gardiner 12(2) (1985) 153–159
Susarla, V., *see* J.C. Gardiner 18(2) (1988) 245–253

Susarla, V., *see* A. Schick 19(2) (1988) 217–228

Tabis, Z., *see* J.K. Baksalary 12(3) (1985) 285–293
Tabis, Z., *see* J.K. Baksalary 16(1) (1987) 49– 54
Takács, L., Some asymptotic formulas for lattice paths 14(1) (1986) 123–142
Tan, W.Y., On Tiku's robust procedure – A Bayesian insight 11(3) (1985) 329–340
Taneja, I.J., Statistical aspects of divergence measures 16(2) (1987) 137–145
Thompson, W.A. Jr. and W.R. Lower, Indirect determination of correlation 16(1) (1987) 83– 87
Tiwari, R.C., *see* S.R. Jammalamadaka 12(3) (1985) 295–304
Tse, S.-K., On the existence and uniqueness of the maximum likelihood estimates for the polytomous response models 14(2) (1986) 269–273
Tse, S.-K. and C.F.J. Wu, Comparison of dichotomous and polytomous response models 14(2) (1986) 187–202

Van Ryzin, J., *see* J.C. Gardiner 12(2) (1985) 153–159
Van Ryzin, J., *see* J.C. Gardiner 18(2) (1988) 245–253
Van Ryzin, J., *see* S.P. Ouyang 12(1) (1985) 11– 25
Veraverbeke, N., *see* I. Gijbels 18(2) (1988) 151–160
Veraverbeke, N., *see* P. Janssen 16(1) (1987) 65– 74
Víšek, J.Á., Sensitivity of the test error probabilities with respect to the level of contamination in general model of contaminacy 14(3) (1986) 281–299

Wang, J.-L., Estimators of a distribution function with increasing failure rate average 16(3) (1987) 415–427
Wang, J.-L., *see* J.L. Gastwirth 18(3) (1988) 267–276
Watanabe, T., On a generalization of polynomials in the ballot problem 14(1) (1986) 143–152
Wegman, E.J., On randomness, determinism and computability 20(3) (1988) 279–294
Wegman, E.J. and H. Solomon, Introduction to assessing uncertainty 20(3) (1988) 241–243
Wegman, E.J., *see* J.J. Miller 17(2) (1987) 173–180
Wehrhahn, K., Properties of some distributions in randomization theory 13(2) (1986) 231–237
Weideman, C.A. and D. Raghavarao, Some optimum non-adaptive hypergeometric group testing designs for identifying two defectives 16(1) (1987) 55– 61
Weidenman, P., *see* O. Frank 17(3) (1987) 321–336
Wertz, W., *see* J. Koronacki 20(1) (1988) 23– 39
Whitney, P., Consistent least squares nonparametric regression 17(2) (1987) 137–148
Wiens, D., The non-null distribution of the Beta statistic in the test of the univariate general linear hypothesis, when the error distribution is spherically symmetric 19(2) (1988) 245–252
Wierich, W., Optimum designs under experimental constraints for a covariate model and an intra-class regression model 12(1) (1985) 27– 40
Wierich, W., On optimal designs and complete class theorems for experiments with continuous and discrete factors of influence 15(1) (1986) 19– 27
Wierich, W., A-optimal design measures for one-way layouts with additive regression 18(1) (1988) 57– 68
Wijesinha, M.C. and A.I. Khuri, Construction of optimal designs to increase the power of the multiresponse lack of fit test 16(2) (1987) 179–192
Winterbottom, A., *see* A.R. Abdel-Wahid 16(3) (1987) 267–275
Winterbottom, A., *see* A.A. Abdel-Wahid 16(3) (1987) 277–283
Winwood, J., *see* B.R. Rao 12(3) (1985) 311–329
Woodroofe, M., Confidence intervals with fixed proportional accuracy 15(2) (1987) 131–146
Wu, C.F.J., *see* T. Kariya 12(3) (1985) 353–357

Wu, C.F.J., *see* J.F. Soares 11(1) (1985) 81- 87
Wu, C.F.J., *see* S.-K. Tse 14(2) (1986) 187-202
Wu, T.-J., On the L_p rates of convergence of simple linear rank statistics under contiguous alternatives 15(1) (1986) 29- 41
Wu, T.-J., Rates of weak convergence and large deviation probabilities for linear rank tests with type I censored data 17(1) (1987) 67- 79
Wu, T.-J., *see* M.L. Puri 11(3) (1985) 277-312
Wynn, H.P., *see* A. Giovagnoli 17(2) (1987) 159-171

Xu, Y.H., *see* F.K. Hwang 17(3) (1987) 367-373

Yanagisawa, Y., Designs for discrimination between binary response models 19(1) (1988) 31- 41
Yang, H.-M., *see* S.S. Gupta 12(2) (1985) 213-233
Yazdi, A.A., *see* M.K. Khan 18(1) (1988) 83- 91
Yeh, C.-M., A class of universally optimal binary block designs 18(3) (1988) 355-361
Young, D.M., V.R. Marco and P.L. Odell, Quadratic discrimination: Some results on optimal low-dimensional representation 17(3) (1987) 307-319
Yu, K.F., *see* Y.L. Lio 14(2) (1986) 169-177

Zabell, S.L., The probabilistic analysis of testimony 20(3) (1988) 327-354
Zahedi, H., Some new classes of multivariate survival distribution functions 11(2) (1985) 171-188
Zelterman, D., Robust estimation in truncated discrete distributions with application to capture–recapture experiments 18(2) (1988) 225-237
Zhang, X., *see* R.E. Barlow 16(3) (1987) 285-296
Zidek, J.V., Group-decision analysis and its application to combining opinions 20(3) (1988) 307-325
Zimmer, W.J., *see* P.K. Pathak 16(3) (1987) 353-363
Zmyślony, R., *see* S. Gnot 12(2) (1985) 249-258